UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,599	01/18/2005	Dominik Meyer	LUS-15874	2772
	7590 04/18/200 L & CLARK LLP	EXAMINER		
38210 Glenn A	venue		ARNOLD, ERNST V	
WILLOUGHBY, OH 44094-7808			ART UNIT	PAPER NUMBER
			1616	
			MAIL DATE	DELIVERY MODE
			04/18/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application No.	Applicant(s)			
		10/521,599	MEYER, DOMINIK			
		Examiner	Art Unit			
		ERNST V. ARNOLD	1616			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
WHIC - Exter after - If NC - Failu Any r	CRTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It is period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	L. viely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status						
1) 又	Responsive to communication(s) filed on <u>07 Ja</u>	nuarv 2008.				
-	• • • • • • • • • • • • • • • • • • • •	action is non-final.				
· · · · · ·	· 					
,—	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
4)⊠ Claim(s) <u>1,3-9,11-17,26,28-37,39-42 and 44-46</u> is/are pending in the application.						
	4a) Of the above claim(s) <u>23-25</u> is/are withdrawn from consideration.					
5)	Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1,3-9,11-17,26,28-37,39-42 and 44-46</u> is/are rejected.						
7)	Claim(s) is/are objected to.					
8)□	Claim(s) are subject to restriction and/or	r election requirement.				
Applicati	on Papers					
9)☐ The specification is objected to by the Examiner.						
•	The drawing(s) filed on is/are: a) ☐ acce		Examiner.			
,—	Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority ເ	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notic 3) Inforr	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date 3/4/08.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

DETAILED ACTION

Claims 2, 10, 18-22, 27, 38 and 43 have been cancelled. Claims 23-25 have been withdrawn. Claims 44-46 are new. Claims 1, 3-9, 11-17, 26, 28-37, 39-42 and 44-46 are under examination. Applicant's amendment has necessitated a new ground of rejection. For example, the limitations of new claims 44-46 have not been previously examined. In addition, claims 3-9 were not examined for the limitations of claims 2 and 10 which have been added to claim 1. Accordingly, this Action is FINAL.

Withdrawn rejections:

Applicant's amendments and arguments filed 1/7/08 are acknowledged and have been fully considered. Any rejection and/or objection not specifically addressed below is herein withdrawn.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 44 recites the limitation "the mixture" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 1616

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1, 3-9 and 11-17, 26, 40-42, 44 and 45 remain/are rejected under 35 U.S.C. 103(a) as being unpatentable over Milligan et al. (Anaesthesia 1988, 43, 563-564) in view of Bawa et al. (US 6,261,547) and Goldenheim et al. (US 6,248,345) and Arias-Alvarez (US 4,657,764) and Strichartz (Regional Anesthesia and Pain Medicine 1998, 23(1), 3-6).

Applicant claims a method of treating joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails and wherein the local anesthetic is used jointly with a pH lowering additive.

Determination of the scope and content of the prior art

(MPEP 2141.01)

Art Unit: 1616

Milligan et al. teach intra-articular bupivacaine for pain relief after arthroscopic surgery of the knee joint (title). Milligan et al. teach administering, by injection, sterile 20 mL solutions of 0.25% and 0.5% bupivacaine, which the Examiner interprets to mean that the "neurotoxic substance" was dissolved in a biocompatible solvent for injection (page 563, right column, middle paragraph). Since Applicant claims bupivacaine then it must be predominantly toxic to nociceptive nerve fibers but not systemically toxic and less neurotoxic to motor and propioceptive nerve fibers than to sensitive nerve fibers. It is the Examiner's position that "intra-articular" encompasses the intra-capsular region or into the joint synovial pouch.

Bawa et al. teach the equivalence of bupivacaine and levobupivacaine in anesthetic compositions (claims 6 and 7).

Goldenheim et al. teach prolonged anesthesia in joints and body spaces and methods of treating localized pain comprising administering into an intra-articular joint a formulation comprising a local anesthetic such as bupivacaine, ropivacaine, dibucaine, etidocaine, tetracaine, lidocaine, xylocaine, procaine, chloroprocaine, prilocaine, mepivacaine and mixtures thereof thus establishing equivalency among these anesthetics (Claims 1-36). Goldenheim et al. teach adding a second active agent such as an enzyme, an anti-infective agent, an antibody, a diagnostic aid, a radio-opaque dye, a magnetic resonance imaging dye, a radiolabeled agent and mixtures thereof (Claims 15, 16, 18, and 22 for example).

Arias-Alvarez teaches the use of sodium bisulfite to treat symptoms of arthritis and arthritic conditions in humans (Abstract). Aqueous solutions of from about 1 to 15% by weight sodium bisulfite are prepared for oral consumption (column 3, lines 33-35).

Art Unit: 1616

Strichartz teaches that high concentrations of lidocaine can be irreversibly toxic to nerves and that 5% lidocaine was shown to be neurolytic (page 3, paragraphs 2 and 3). Strichartz describes lidocaine as a neurolytic agent and teaches the *concept* of neurolysis with commonly used local anesthetics (page 4, paragraph 2 and page 5, paragraph 1).

Ascertainment of the difference between the prior art and the claims

(MPEP 2141.02)

- 1. While Applicant claims injecting the agent comprising a neurotoxic substance (local anesthetic) for treating post-operative joint pain at a concentration entailing neurolysis, Milligan et al. do not expressly teach a method of injecting the agent comprising a neurotoxic substance (local anesthetic) for treating joint pain at a concentration entailing neurolysis. This deficiency in Milligan et al. is cured by the teachings of Strichartz, Bawa et al. and Goldenheim et al.
- 2. While Applicant claims using the local anesthetic jointly with a pH lowering additive (NAHSO₃), Milligan et al. do not expressly teach a method of wherein the local anesthetic is used jointly with a pH lowering additive that is a bisulfite (NaHSO₃) in a concentration of at least 1% by weight. This deficiency is cured by the reference of Arias-Alvarez which teaches bisulfite for the treatment of the symptoms of arthritis (pain).
- 3. While Applicant claims a method wherein the local anesthetic is lidocaine, prilocaine, mepivacaine, levobupivacaine, ropivacaine, etidocaine, procaine, chloroprocaine, Milligan et al. do not expressly teach a method wherein the local anesthetic is lidocaine, prilocaine, mepivacaine, levobupivacaine, ropivacaine, etidocaine, procaine or chloroprocaine,. This

Art Unit: 1616

deficiency is cured by the teachings of Bawa et al. and Goldenheim et al., which teach the equivalency of the local anesthetics to one of ordinary skill in the art.

Finding of prima facie obviousness

Rational and Motivation (MPEP 2142-2143)

1. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to inject the agent for treating joint pain at a concentration entailing neurolysis, in the method of Milligan et al., and produce the instant invention.

One of ordinary skill in the art would have been motivated to do this because Milligan et al. teach that a concentration of 0.5% bupivacaine provided little analgesia and suggests the use of higher concentrations of bupivacaine (Page 564, discussion). Strichartz teaches that it is known that 5% lidocaine is neurolytic. Increasing the dosage to greater than 6% results in the same outcome and is obvious to one of ordinary skill in the art of anesthesia. It is then merely routine optimization to determine the neurolytic dosage amounts of the other amide local anesthetics to be comparable to the neurolytic amount of lidocaine. In addition it would be obvious to one of ordinary skill in the art of anesthesia to add another analgesic/anesthetic to assist with producing analgesia/anesthesia and provide enhanced patient comfort. The duration of 14 days is merely routine optimization of the combination of anesthetics.

2. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to inject the agent (local anesthetic) for treating joint pain at a concentration entailing neurolysis wherein the local anesthetic is used jointly with a pH lowering additive that

is a bisulfite (NaHSO₃) in a concentration of at least 1% by weight, as suggested by Arias-Alvarez, in the method of Milligan et al. and produce the instant invention.

One of ordinary skill in the art would have been motivated to do this because the art teaches the use of sodium bisulfite in the treatment of arthritis where the symptoms include pain (Arias-Alvarez column 1, lines 42-56). Since the same compound in the same amount for the same purpose is taught in the art as instantly claimed then it would intrinsically lower the pH of the agent for treating joint pain to less than 3.5. The claim language of instant claim 5 recites "jointly" which does not preclude oral administration of the bisulfite.

3. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to use the amide anesthetics, as taught by Bawa et al. and Goldenheim et al., in pure enantiomeric form in the method of Milligan et al. in the amount claimed and produce the instant invention.

One of ordinary skill in the art would have been motivated to do this because Milligan et al. suggest using higher dosages of the anesthetic and the art teaches the equivalence of the amide anesthetics. Since the art teaches the equivalence of the amide anesthetics and it is merely judicious selection to pick the proper amide and routine optimization to arrive at the proper concentration especially when the art, Milligan et al., teaches higher dosages. Therefore, it is the Examiner's position that a concentration of local anesthetic > 4%; lidocaine > 6%; prilocaine > 3%; mepivacaine > 5%; bupivacaine > 1.5%; levobupivacaine > 5%; ropivacaine > 2%; etidocaine > 2%; procaine > 3%; chloroprocaine are all reasonably within routine optimization of the method of Milligan et al. by one of ordinary skill in the art. It is common sense that one of

ordinary skill in the art would want the highest purity pharmaceutical agents in the preparation and that would encompass the enantiomeric forms as well.

A reference is good not only for what it teaches by direct anticipation but also for what one of ordinary skill in the art might reasonably infer from the teachings. (*In re Opprecht* 12 USPQ 2d 1235, 1236 (Fed Cir. 1989); *In re Bode* 193 USPQ 12 (CCPA) 1976).

In light of the forgoing discussion, the Examiner concludes that the subject matter defined by the instant claims would have been obvious within the meaning of 35 USC 103(a).

From the teachings of the references, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention.

Therefore, the invention as a whole was *prima facie* obvious to one of ordinary skill in the art at the time the invention was made, as evidenced by the references, especially in the absence of evidence to the contrary.

Response to arguments:

Applicant asserts that none of the cited references teaches injecting a neurolytic amount of anesthetic and that "the surprising and new effect that applicant discovered and now claims is that when amide local anesthetics are injected into a post-operative joint space at an appropriately high concentration, a totally new mode of pharmaceutical action may be achieved." The Examiner cannot agree. Applicant's surprising new mechanism has been known since at least 1998 as taught by Strichartz. The concept of high concentrations of local anesthetics being neurolytic is known in the art and not anything new. Applicant's arguments are not persuasive.

Art Unit: 1616

Claim Rejections - 35 USC § 103

Claims 1, 3-8, 11, 13, 26, 28, 35 and 40-42 remain/are rejected under 35 U.S.C. 103(a) as being unpatentable over Macek et al. (US 3,368,937).

Applicant claims a method of treating joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails and wherein the local anesthetic is used jointly with a pH lowering additive.

Determination of the scope and content of the prior art

(MPEP 2141.01)

Macek et al. teach an injectable steroid anesthetic composition and teach administering a combined dosage of steroid and an aromatic amide (lidocaine and mepivacaine) (Column 1, lines 55-72). The route of administration can be intramuscular, intrasynovial, intra-ocular and soft tissue injection (column 1, lines 17-20). Macek et al. teach compositions comprising lidocaine, dissolved in water, dexamethasone, sodium bisulfite, phenol and water to create a water-soluble product (column 3, example 1, lines 22-40). Phenol is present as a bacteriological preservative (column 3, line 37 and claim 11, for example). The injectable solution consists essentially of a biocompatible solvent, water, **about 5-20 parts by weight of lidocaine or mepivacaine** and about 1-20 parts by weight of the steroid with water to 1 ml (Claims 1, 11 and 12). In the absence of evidence to the contray, the anesthetics used by Macek et al. are in their pure enantiomeric

Art Unit: 1616

form. Since Applicant claims lidocaine then it must be predominantly toxic to nociceptive nerve

fibers but not systemically toxic and less neurotoxic to motor and propioceptive nerve fibers than

to sensitive nerve fibers.

Ascertainment of the difference between the prior art and the claims

(MPEP 2141.02)

1. While Applicant claims a method of treating *post-operative joint pain* comprising

providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the

neurotoxic substance into a joint space such that neurolysis entails, Macek et al. do not expressly

teach a method for treating post-operative joint pain comprising injecting an agent comprising a

neurotoxic substance (local anesthetic) at a concentration entailing neurolysis. However, Macek

teach such conditions as rheumatoid arthritis, bursitis and sprains and the like but does not

specifically mention post-operative pain (column 1, lines 20-23).

2. While Applicant claims a method wherein the nociceptive nerve fibers are rendered

pain-insensitive by the local anesthetic or the mixture of several local anesthetics for at least 14

days, Macek et al. do not expressly teach the duration of action of the injectable solution.

Finding of prima facie obviousness

Rational and Motivation (MPEP 2142-2143)

1. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to treat post-operative pain with the composition and method of Macek et al. and produce the instant invention.

One of ordinary skill in the art would have been motivated to do this because Macek et al. describe several types of painful joint trauma and suggests others ("and the like") such that one of ordinary skill in the art would immediately envision alleviation of joint pain associated with an operation.

2. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to treat post-operative pain with the composition and method of Macek et al. wherein the nociceptive nerve fibers are rendered pain-insensitive by the local anesthetic or the mixture of several local anesthetics for at least 14 days and produce the instant invention.

One of ordinary skill in the art would have been motivated to do this because Macek et al. teach using up to 20 parts by weight of the anesthetic (claim 1) which encompasses that which is instantly claimed and would therefore have the same duration of action.

A reference is good not only for what it teaches by direct anticipation but also for what one of ordinary skill in the art might reasonably infer from the teachings. (*In re Opprecht* 12 USPQ 2d 1235, 1236 (Fed Cir. 1989); *In re Bode* 193 USPQ 12 (CCPA) 1976).

In light of the forgoing discussion, the Examiner concludes that the subject matter defined by the instant claims would have been obvious within the meaning of 35 USC 103(a).

From the teachings of the references, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention.

Therefore, the invention as a whole was *prima facie* obvious to one of ordinary skill in the art at

Art Unit: 1616

the time the invention was made, as evidenced by the references, especially in the absence of evidence to the contrary.

Response to arguments:

Applicant asserts that "Macek et al. teaches one how to combine a steroid with a local anesthetic in a concentration well-below where neurolysis would occur". The Examiner cannot agree. Macek et al. teaches **about 5-20 parts by weight of lidocaine or mepivacaine** which reads on the neurolytic amounts instantly claimed. The neurolytic effect is intrinsic to the amount of anesthetic taught by Macek et al. Applicant's arguments are not persuasive.

Claim Rejections - 35 USC § 103

Claims 1, 5, 28-37, 39 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Macek et al. (US 3,368,937) in view of Goldenheim et al. (US 6,248,345) and Strichartz (Regional Anesthesia and Pain Medicine 1998, 23(1), 3-6) and with respect to claims 34 and 37 Davis et al. (US 3,917,830) and with respect to claim 39 Herschler (US 4,296,104) and with respect to claims 28-30 Oakes et al. (US 5,061,485) and with respect to claims 31 and 32 Meuller (5,002,761) and with respect to claim 36 Chasin et al. (US 5,942,241) and with respect to claim 33 Klaveness (US 5,242,683).

Applicant claims a method of treating joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails and wherein the local anesthetic is used jointly with a pH lowering additive and in addition to the local anesthetic: 1) cresol; 2) a chloro cresol; 3) eugenol;

Art Unit: 1616

4) thymol; 5) x-ray contrast reagent; 6) glycerin; 7) vasoconstrictor; 8) DMSO, and 9) polyethylene glycol are added.

Determination of the scope and content of the prior art

(MPEP 2141.01)

The references of Macek et al., Strichartz and Goldenheim et al. are discussed in detail above and those discussions are hereby incorporated by reference.

Oakes et al. teach the equivalence of phenol, cresol, m-, o-, p-chlorocresol etc... as germicidal agents (column 5, lines 60-68 and claim 29 for example).

Herschler teaches DMSO as a known penetration enhancer for pharmaceutical agents such as analgesics, steroids and anti-inflammatory agents (column 4, lines 41-47).

Davis et al. teach an injectable steroidal anesthetic wherein the injection medium comprises propylene glycol, glycerol or glycerol formal of greater than 50% of the total injection and teaches polyethylene glycols (claims 1-4 and column 7, lines 3-7).

Mueller et al. teach the equivalence of thymol and eugenol as preservatives (column 4, lines 11-16 and claim 18).

Chasin et al. teach formulations and methods for providing prolonged local anesthesia comprising vasoconstricting agents such as epinephrine (which is synonymous with adrenaline), norepinephrine and phenylphrine and local anesthetics such as bupivacaine (Abstract, column 9, lines 60-65; claims 1-8, 11, 12 and 23-33, for example).

Klaveness teaches contrast media comprising a paramagnetic agent and an iodinated agent for X-ray and MRI (Title; abstract). Barium and iodine are taught as contrast agents (column 1, lines 15-18). The paragmagnetic metal can be gadolinium (Claims 1 and 9).

Ascertainment of the difference between the prior art and the claims (MPEP 2141.02)

1. While Applicant claims a method of treating post-operative joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails and wherein the local anesthetic is used jointly with a pH lowering additive and in addition to the local anesthetic: 1) cresol; 2) a chloro cresol; 3) eugenol; 4) thymol; 5) x-ray contrast reagent; 6) glycerin; 7) vasoconstrictor; and 8) DMSO, are added, Macek et al. do not expressly teach the addition of these components in a method of treating post-operative joint pain but as explained above, Macek et al. suggest treating pain in joints which would include post-operative joint pain.

Finding of prima facie obviousness

Rational and Motivation (MPEP 2142-2143)

1. It would have been obvious to one of ordinary skill in the art at the time the claimed invention was made to add 1) cresol; 2) a chloro cresol; 3) eugenol; 4) thymol; 5) x-ray contrast reagent; 6) glycerin; 7) vasoconstrictor; and 8) DMSO, as suggested by Oakes, Herschler, Davis, Mueller, Chasin and Klaveness, to the method of Macek et al. and produce the instant invention.

Art Unit: 1616

One of ordinary skill in the art would have been motivated to do this because: 1 and 2) Macek et al. teach phenol as a presever vative which renders other phenols, such as those taught by Oakes et al. obvious to one of ordinary skill in the art; 3 and 4) eugenol and thymol are also taught as preservatives by Meuller et al. and are phenols and would be obvious to one of ordinary skill in the art; 5) Goldenheim teaches the addition of diagnostic agents to intra-articular joint a formulations comprising a local anesthetic but does not specifically name them and Klaveness cures that deficiency by teaching the types of X-ray contrast reagents known to one of ordinary skill in the art; 6) Davis teaches glycerol as a medium for injection of these solutions which is known to one of ordinary skill in the art; 7) Chasin teach that addition of vasoconstrictive agents might greatly prolong local anesthetic activity (column 9, lines 4-25); and 8) Herschler teaches DMSO as a known penetration enhancer. It is the Examiner's position that with the exception of the vasoconstrictor the other additional components are readily known to one of ordinary skill in the art. The motivation to add the vasoconstrictor comes from the teaching that it can provide prolonged anesthetic activity. Strichartz is cited for the teaching that it is known to one of ordinary skill in the art that high concentrations of local anesthetics are neurolytic and entail neurolyis.

A reference is good not only for what it teaches by direct anticipation but also for what one of ordinary skill in the art might reasonably infer from the teachings. (*In re Opprecht* 12 USPQ 2d 1235, 1236 (Fed Cir. 1989); *In re Bode* 193 USPQ 12 (CCPA) 1976).

In light of the forgoing discussion, the Examiner concludes that the subject matter defined by the instant claims would have been obvious within the meaning of 35 USC 103(a).

Art Unit: 1616

From the teachings of the references, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention.

Therefore, the invention as a whole was *prima facie* obvious to one of ordinary skill in the art at the time the invention was made, as evidenced by the references, especially in the absence of evidence to the contrary.

Response to arguments:

Applicant asserts that none of the cited references teaches injecting a neurolytic amount of anesthetic and that Applicant has surprisingly discovered a new mechanism not taught in the past. The Examiner cannot agree. Applicant's surprising new mechanism has been known since at least 1998 as taught by Strichartz. Marcek teaches using the anesthetics within and above the amounts instantly claimed and therefore would have a neurolytic effect. Applicant's arguments are not persuasive. The rejection is maintained.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned

Art Unit: 1616

with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).s

1. Claims 1, 2 and 40-42 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 50 and 51 of copending Application No. 11/722,779. Although the conflicting claims are not identical, they are not patentably distinct from each other because the instantly claimed subject matter is embraced by or embraces the subject matter of the co-pending application. Instant claim 1 is drawn to a method of treating joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails. Copending claim 50 is drawn to a method of treatment of pain with resiniferatoxin dissolved in a solvent compatible with the body in a volume of 0.1 to 150 mL and injected into the intracapsular region such that neurolysis occurs. Instant claim 42 recites a period of 14 days and copending claim 51 recites at least 14 days. One of ordinary skill in the art would have recognized the obvious overlap in subject matter.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

2. Claims 1, 2 and 40-42 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 39-42 of copending Application No. 11/722,857. Although the conflicting claims are not identical, they are not patentably distinct from each other because the instantly claimed subject matter is embraced by or embraces the subject matter of the co-pending application. Instant claim 1 is drawn to a

Art Unit: 1616

method of treating joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails. Copending claims 39, 40, 41 and 42 recite a method for the treatment of articular pain wherein an agent is injected into the intracapsular region of a joint affected by pain; wherein the agent is dissolved in a solvent compatible with the body and 0.1 to 150 ml of the solution is injected into intracapsular region; nociceptive fibers are made insensitive to pain for at least 14 days; and neurolysis occurs. One of ordinary skill in the art would have recognized the obvious overlap in subject matter.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

3. Claims 1, 2 and 40-42 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 94-96 of copending Application No. 11/722,484. Although the conflicting claims are not identical, they are not patentably distinct from each other because the instantly claimed subject matter is embraced by or embraces the subject matter of the co-pending application. Instant claim 1 is drawn to a method of treating joint pain comprising providing a neurotoxic substance dissolved in a biocompatible solvent and injecting the neurotoxic substance into a joint space such that neurolysis entails. Copending claims 94-96 recite a method for the treatment of joint pain wherein an agent is injected into the intracapsular region or into the joint capsule of a joint affected by pain; wherein the agent is dissolved in a solvent compatible with the body and 0.1 to 150 ml of the solution is injected into intracapsular region or into the joint capsule of a joint affected by pain; nociceptive fibers are made insensitive to pain for at least 14 days; and

neurolysis occurs. One of ordinary skill in the art would have recognized the obvious overlap in subject matter.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Response to arguments:

Applicant asserts the amendments have made the instant claims distinct from the copending applications. The Examiner cannot agree. The comprising language allows for the addition of other substances and it remains obvious to use anesthetics to treat pain. The rejections are maintained.

Conclusion

No claims are allowed.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 1616

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Ernst V. Arnold whose telephone number is 571-272-8509. The

examiner can normally be reached on M-F (6:15 am-3:45 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Johann Richter can be reached on 571-272-0646. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ernst Arnold Art Unit 1616

THE CIME TOTO

/Johann R. Richter/

Supervisory Patent Examiner, Art Unit 1616